

Claims

1. An electrochemical cell, such as an SOFC cell, including a nickel based electrode structure, such as for instance in form of an Ni/YSZ electrode, to which Mn has been added, c h a r a c t e r i z e d in that the added amount of Mn to the active zone of the electrode extending less than 20 μm from the electrolyte represents 0.5 to 5 metal atom%, preferably 1 to 4 metal atom%, in particular 2 to 3 metal atom%.
2. An electrochemical cell as claimed in claim 1, c h a r a c t e r i z e d in that the added amount of Mn in the part of the electrode spaced more than 20 μm from the electrolyte represents 0.5 to 10 metal atom%, preferably 1 to 6 metal atom%, in particular 4 to 5 metal atom%.

add a17